

Certificate

of
Type-Examination

No: 172330857/AA/00

In compliance with the procedure specified in RD_070, Telefication declares that the stated alarm equipment complies with the Technical specifications as listed in Annex 2 of this certificate.
This certificate relates to an ISO/IEC 17067 scheme type 1a registration.

Product description: **Wireless outdoor siren**

Trademark: **Climax**

Type designation: **BX-23**

Hardware / Software version: **BX-29(A) V3.1 / 868NF_00_EN_BX23F1N11**

Variants: --

Manufacturer: **Climax Technology Co., Ltd.**

Address: **No. 258, Xinhua 2nd. Road, Neihu District**

City: **114 TAIPEI CITY**

Country: **Taiwan**

This certificate is granted to:

Name: **Climax Technology Co., Ltd.**


Address: **No. 258, Xinhua 2nd. Road, Neihu District**

City: **114 TAIPEI CITY**

Country: **Taiwan**

This certificate has THREE Annexes.

Zevenaar, 26 October 2017



Jan Willem Verwoert
Project Manager



Remarks and observations

The following conditions are applicable:

Security grade: 2

Environmental class: IV

Equipment class: Fixed

According to EN 50131-1:2006, this equipment can be applied in installed systems up to and including security grade 2.

Electromagnetic emission and safety aspects are not covered by this certificate.

Documentation lodged for this Certificate of Type-Examination

Test Reports:

- Telefication: 161001735-001-Ver 1.00, 16 October 2017
- Telefication: 161001735-002-Ver 1.00, 16 October 2017

Product Documentation:

- Assembly drawings
- Bill of materials
- Electrical diagrams
- Internal photos
- External photos
- Manual

Technical Standards and Specifications

The product shows no non-compliances with:

EN 50131-4

EN 50131-5-3:2005 + A1:2008

May, 2009

2008

Technical features and characteristics

The product includes the following features and characteristics:

The product as described in this certificate includes the following type designations:

- Product description: Wireless outdoor siren
- Trademark: Climax
- Type designation: BX-23
- Hardware version: BX-29(A) V3.1
- Software version: 868NF_00_EN_BX23F1N11